

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	8	(US-20060253340-\$).did. or (US-6205437-\$ or US-6456984-\$ or US-6078908-\$ or US-6636833-\$ or US-6598031-\$ or US-7089208-\$ or US-6836765-\$).did.	US-PGPUB; USPAT	OR	ON	2007/03/01 11:56
L3	8	(single us\$3 transact\$3 id identi\$6 settl\$6 smart chip processor IC card authenticat\$3 payment) and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 12:04
L4	8	(single us\$3 transact\$3 id identi\$6 settl\$6 smart chip processor IC card authenticat\$3 payment once) and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 12:04
L5	8	(single us\$3 transact\$3 id identi\$6 settl\$6 smart chip processor IC card authenticat\$3 payment once one time) and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 12:25
L6	719	713/153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 12:25
L8	624	726/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 12:26
S1	900	(processor IC smart chip) near3 card and PIN and transact\$3 and settl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:36
S2	580	(processor IC smart chip) near3 card and PIN and transact\$3 and settl\$3 and (card near3 (ID serial number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:38
S3	1455	(processor IC smart chip) near3 card and (authoriz\$6 near3 (server party provider)) and (card near3 (ID serial number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:37

## EAST Search History

S4	1121	(processor IC smart chip) near3 card and (authoriz\$6 near3 (server party provider)) and (card near3 (ID serial number)) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:37
S5	26	(processor IC smart chip) near3 card and PIN and transact\$3 and settl\$3 and (card near3 (ID serial number)) and (wireless) and (non-contact noncontact) and card near3 reader	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 18:40
S6	10	(processor IC smart chip) near3 card and PIN and transact\$3 and settl\$3 and (card near3 (ID serial number)) and (wireless) and (non-contact noncontact) and card near3 reader and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:15
S7	10	(processor IC smart chip) near3 card and PIN and transact\$3 and settl\$3 and (card near3 (ID serial number)) and (wireless) and (non-contact noncontact) and card near3 reader and (settl\$3 authoriz\$6 authenticat\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:21
S8	10	(processor IC smart chip) near3 card and PIN and transact\$3 and settl\$3 and (card near3 (ID serial number)) and (wireless) and (non-contact noncontact) and card near3 reader and (settl\$3 authoriz\$6 authenticat\$3 merchant financial) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:22
S9	20974	(one-time or (one adj time) single) near3 (key password (auth\$8 adj (code number)) (transaction adj (ID identification number password code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 16:25
S11	300	S9 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:50
S12	196	S9 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:50

## EAST Search History

S13	103	S9 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 16:26
S14	2	S9 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:50
S15	30	S9 and S2 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:54
S16	580	(processor IC smart chip) near3 card and PIN and transact\$3 and settl\$3 and (card near3 (ID serial number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 16:31
S17	20974	(one-time or (one adj time) single) near3 (key password (auth\$8 adj (code number)) (transaction adj (ID identification number password code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 16:30
S18	36	S17 and S16 and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 16:26
S19	30	S17 and S16 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 16:27
S20	4138	(one-time or (one adj time) (single adj2 (us\$3 purchas\$3 transact\$3)) ) near3 (key password (auth\$8 adj (code number)) (transaction adj (ID identification number password code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 16:32
S21	13	S20 and S16 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 16:32

## EAST Search History

S22	390	(one-time or (one adj time) (single adj2 (us\$3 purchas\$3 transact\$3)) ) near3 (key password code number ID ident\$6 (auth\$8 adj (code number)) (transaction adj (ID identification number password code))) same (send\$3 transmi\$6 forward\$3) adj5 (mobile phone terminal host device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 16:41
S23	111	(one-time or (one adj time) (single adj2 (us\$3 purchas\$3 transact\$3)) ) near3 (key password code number ID Ident\$8 (auth\$8 adj (code number)) (transaction adj (ID identification number password code))) same (send\$3 transmi\$6 forward\$3) adj5 (mobile phone terminal host device) and (processor IC smart chip) near3 card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:20
S24	2	("6598031").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/09 16:58
S25	86	(one-time or (one adj time) (single adj2 (us\$3 purchas\$3 transact\$3)) ) adj3 (key password code number ID Ident\$8 (auth\$8 adj (code number)) (transaction adj (ID identification number password code))) same (send\$3 transmi\$6 forward\$3) adj5 (mobile phone terminal host device) and (processor IC smart chip) near3 card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:57
S26	17	(one-time or (one adj time) (single adj2 (us\$3 purchas\$3 transact\$3)) ) adj3 (key password code number ID Ident\$8 (auth\$8 adj (code number)) (transaction adj (ID identification number password code))) same (send\$3 transmi\$6 forward\$3) adj5 (mobile phone terminal host device) and (processor IC smart chip) near3 card and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:42
S28	2	single adj us\$3 near3 (credit adj card adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:43

## EAST Search History

S29	17	(one-time or (one adj time) (single adj2 (us\$3 purchas\$3 transact\$3)) ) adj3 (key password code number ID Ident\$8 (auth\$8 adj (code number)) (transaction adj (ID identification number password code))) same (send\$3 transmi\$6 forward\$3) adj5 (mobile phone terminal host device) and (processor IC smart chip) near3 card and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 11:24
S30	23	(one-time or (one adj time) (single adj2 (us\$3 purchas\$3 transact\$3)) ) near3 (key password code number ID Ident\$8 (auth\$8 adj (code number)) (transaction adj (ID identification number password code))) same (send\$3 transmi\$6 forward\$3) adj5 (mobile phone terminal host device) and (processor IC smart chip) near3 card and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:42
S31	340	mobile near3 transact\$3 near3 device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:42
S32	1455	(processor IC smart chip) near3 card and (authoriz\$6 near3 (server party provider)) and (card near3 (ID serial number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:43
S33	12	mobile near3 transact\$3 near3 device and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:31
S34	86	(one-time or (one adj time) (single adj2 (us\$3 purchas\$3 transact\$3)) ) adj3 (key password code number ID Ident\$8 (auth\$8 adj (code number)) (transaction adj (ID identification number password code))) same (send\$3 transmi\$6 forward\$3) adj5 (mobile phone terminal host device) and (processor IC smart chip) near3 card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:58
S35	0	S34 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:57

## EAST Search History

S36	13	(one-time or (one adj time) (single adj2 (us\$3 purchas\$3 transact\$3)) ) adj3 (key password code number ID Ident\$8 (auth\$8 adj (code number)) (transaction adj (ID identification number password code))) and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:32
S37	23	"6487665"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:10
S38	2580	mobile with transact\$3 with (terminal device apparatus phone computer pda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:31
S39	60	(one-time or (one adj time) (single adj2 (us\$3 purchas\$3 transact\$3)) ) adj3 (key password code number ID Ident\$8 (auth\$8 adj (code number)) (transaction adj (ID identification number password code))) and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:34
S40	6	(one-time or (one adj time) (single adj2 (us\$3 purchas\$3 transact\$3)) ) adj3 (key password code number ID Ident\$8 (auth\$8 adj (code number)) (transaction adj (ID identification number password code))) and S38 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:37